

EXAMINATIONS COUNCIL OF SWAZILAND Swaziland General Certificate of Secondary Education

CANDIDATE NAME							
CENTRE NUMBER					CANDIDATE NUMBER		
BIOLOGY							6884/03
Paper 3 Practica	al Test				O		ember 2018 15 minutes
Candidates ans Additional Mate			•	structions.			
READ THESE I	NSTRUCTI	ONS FIRS	т				
Write in dark blu	ue or black p n HB pencil bles, paper o	oen. for any diac clips, glue c	grams, gr	nd name on all the w aphs or rough workin ion fluid.	-		
Answer all ques You may use ar You may lose m	electronic		w your wo	orking or if you do not	use appropriate	units.	

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use		
1		
2		
Total		

This document consists of 7 printed pages and 1 blank page.

© ECOS 2018 [Turn over

1 (a) The enzyme phenolase causes the flesh of apples to turn brown when exposed to the air.

You are provided with an apple and beakers with the following liquids:

- A cold water
- **B** hot water
- (ii) Cut the apple longitudinally, using the scalpel or knife provided into four equal pieces.
 - Using the pair of forceps or tongs provided, take one piece of apple, and put it in beaker **A** for about 30 seconds.
 - Remove and place it in the petri dish labelled A.
 - Take a second piece and put it in beaker **B** for 30 seconds. Remove it and place it in the petri dish labelled **B**.
 - Take a third piece and place it in the petri dish labelled **C**.
 - Keep the fourth piece for Question 1 (b).
 - Leave the pieces **A**, **B** and **C** for 10 minutes and then observe any colour change in all the pieces of apple.

Draw a suitable table to record your observations in the space provided below.

(iii)	State a reason for leaving the investigation for 10 minutes before the observations are recorded.
	[1]
(iv)	Explain the effect of dipping the apple in hot water.
(v)	Explain the purpose of including apple piece C in this investigation.
(vi)	Explain why it is important to control the pH in this experiment.
	[2]
(vii)	Describe how the investigation can be modified to compare the rate of browning in two different fruits.
	[3]

(b) Benedict's solution changes to brick red or orange when mixed with a substance that contains reducing sugars.

You are provided with two boiling tubes, **E** and **F**, each containing Benedict's solution.

- Take the fourth piece of apple and cut it into two cubes of about 1 cm x 1 cm x 1 cm each.
- Take one cube and put it into boiling tube E.
- Take the other cube and chop it into very small pieces using the scalpel.
- Place the chopped apple into boiling tube F.
- (i) Place the boiling tubes in the hot water bath at the same time and record the time taken for each sample to turn brick red or orange.

	boiling tube E	.seconas
	boiling tube F	. seconds [1]
(ii)	Explain the effects of chopping the cube in F on the rate of reaction.	
		[3]

[Total: 20]

© ECOS 2018 6884/03/O/N/2018

- 2 (a) You are provided with a piece of cucumber and some salt.
 - Cut the piece of cucumber into two equal parts as shown in Fig. 2.1, using the scalpel provided and place them in the petri dishes labelled **G** and **H**.




Fig. 2.1

- Blot-dry the cut surfaces of both slices of the cucumber using the paper towels provided.
- Sprinkle all the salt on the freshly cut surface of slice G.
- Leave both specimens for 10 minutes and proceed to Question 2 (b).

(i)	After 10 minutes, observe the surfaces of G and H and record your observations.
	slice G
	slice H [2]
(ii)	Explain the effect of putting salt on the cucumber.
	[4]
(iii)	Suggest what will happen to the size of slice ${\bf G}$ if it is left for a long time with the salt.
	[1]
(iv)	State two ways in which the reliability of the investigation can be improved.
	1
	2

v)	Draw a diagram of the cut surface of H,	labelling the part which	developed from
	ovules.		

[3]

(b) In an investigation, 70 mm lengths of carrot, celery, cucumber and potato are all immersed in distilled water for 20 minutes.

Table 2.1 shows the results.


Table 2.1

	initial length/mm	final length/mm	change in length/mm
cucumber	70	72	2
celery	70	(i)	3
potato	70	75	5
carrot	70	71	1

(i)	Calculate the final length for the celery.
	[1]
(ii)	Explain why the change is greatest in the potato.
	[2]

© ECOS 2018 6884/03/O/N/2018

(iii) Plot, on the grid a bar chart of the change in length for each sample in Table 2.1.



[4]		
Predict the final length of the cucumber if it had been boiled in water before being immersed in the distilled water.	v)	(iv
[1]		
[Total: 20]		

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (ECOS) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

© ECOS 2018 6884/03/O/N/2018